

Connecticut Behavioral Risk Factor Survey

Prevalence Estimates for Risk Factors and Health Indicators

Selected Summary Tables 2019



December 2020

State of Connecticut Department of Public Health



Acknowledgments

Diane Aye, MPH, PhD
Section Chief
Health Statistics and Surveillance Section
Connecticut Department of Public Health

Celeste Jorge, MPH
Epidemiologist & CT BRFSS Coordinator
Health Statistics and Surveillance Section
Connecticut Department of Public Health

This report was prepared by:
Xi Zheng, MPH, MS
BRFSS Epidemiologist
Health Statistics and Surveillance Section
Connecticut Department of Public Health

The CT BRFSS team acknowledges with gratitude the time contributed by over 9,000 citizen volunteers within the State of Connecticut who responded anonymously to the survey during the 2019 calendar year. The results presented in this report would not be possible without their participation.

For questions or comments about this report, please contact:

Xi Zheng, MPH, MS
Epidemiologist
Health Statistics and Surveillance Section
Connecticut Department of Public Health
Hartford, Connecticut, 06106
Xi.Zheng@ct.gov (860-509-7670)

Find more BRFSS factsheets, reports and publications at the Connecticut Department of Public Health BRFSS website: <http://www.ct.gov/dph/BRFSS>.

Introduction

The Connecticut Behavioral Risk Factor Surveillance System (CT BRFSS) is an ongoing statewide voluntary phone survey of Connecticut citizen volunteers aged 18 and over. It is funded by the Centers for Disease Control and Prevention (CDC) in all 50 states, and has been implemented in Connecticut since 1989.

For the 2019 CT BRFSS, the landline sample was a disproportionate stratified random digit dial (RDD) sample, stratified by geography and listed status. Within each contacted household, one adult was selected at random to be interviewed. The cell phone sample was an un-stratified RDD sample drawn from dedicated cellular telephone banks with equal probability. An adult contacted by cell phone was eligible to complete the survey if he or she lived in a private residence or college housing either without a landline present, or with a landline but with at least 90 percent of all calls received by cell phone. Each month, survey data from Connecticut are sent to CDC for editing and checking. At the end of each year, data are compiled and weighted to be representative of all adults in the state, and returned to states for analysis and use in planning and monitoring health programs. Summary data for all states are available on the CDC BRFSS website (<http://www.cdc.gov/BRFSS>).

In 2019, the total sample size of completed interviews for the core survey was 9,163 (land line=4,284; cell phone=4,879). Due to variability in response rates to individual questions and differences in specific sub-populations of interest for particular questions, not all estimates are based on a total sample size of 9,163. Prevalence estimates and 95% confidence intervals were computed using SAS PROC SURVEYFREQ, which can properly compute variances for complex sampling plans. Any responses of “Not Known/Not sure” or “Refused” were classified as missing.

In an effort to provide the most reliable information possible, coefficients of variation (CV) were used to assess the validity of each estimate. Prevalence estimates with a CV of between 15% and 20%, inclusive, are marked with a single asterisk (*). Prevalence estimates with a CV between 20.1% and 30%, inclusive, are rounded to the nearest five percent, and are marked with two asterisks (**) to indicate that caution should be exercised when interpreting these estimates. Prevalence estimates with a CV greater than 30% are suppressed due to poor validity. Only comparisons between estimates with non-overlapping 95% confidence intervals should be considered significantly different.

Due to the BRFSS methodology changes that took place in 2011, the estimates provided within the following tables should only be compared to CT BRFSS estimates from 2011-2019 and not to CT BRFSS estimates from years prior to 2011.

If you have any questions regarding any of the estimates within the following tables, please contact Xi Zheng at xi.zheng@ct.gov. To access to the 2018 CT BRFSS questionnaire, please visit the CT BRFSS web page at: www.ct.gov/dph/brfss.

Table of Contents

Health Indicator Summary.....1

Adult Health.....4

 Health Status.....4

 Risk Behaviors.....12

 Clinical Preventive Practice.....19

 Chronic Diseases.....23

 Other Topics.....28

Child Health.....32

Adult Health Indicators	%	95% CL	
Health Status			
Fair or poor health	14.9	13.9	15.9
Poor physical health	10.6	9.7	11.4
Poor mental health	11.3	10.4	12.3
Disability	22.9	21.7	24.2
Overweight	36.6	35.1	38.0
Obese	29.1	27.7	30.5
Insurance coverage (all ages)	91.7	90.8	92.6
Private insurance (18-64 years old)	68.3	65.7	70.8
Medicare (18-64 years old)	6.3	5.4	7.2
Medicaid (18-64 years old)	10.0	8.9	11.1
No insurance (18-64 years old)	9.1	8.1	10.1
At least one doctor	83.4	82.2	84.5
Not see doctor because of cost	9.9	9.0	10.8
Food insecurity	7.9	7.0	8.9
Housing insecurity	13.3	12.2	14.5
Risk Behaviors			
Binge drinking	15.6	14.5	16.8
Heavy drinking	6.2	5.4	6.9
Excessive alcohol drinking	17.6	16.3	18.8
Current smoker	12.1	11.1	13.1
Ever use E-cigarette	19.6	18.2	21.0
Ever tried smoking cigars	35.9	31.9	40.0
Ever used hookah	15.7	14.4	17.0
Current E-cigarette use	5.2	4.4	6.1
Breathed in smoke from someone else at workplace in the past 7 days (among people who are working)	26.5	24.6	28.5
Breathed in smoke from someone else in public in the past 7 days	28.2	26.7	29.8
No leisure time physical activities	23.5	22.2	24.8
Met aerobic and strengthening exercise guidelines	26.1	24.8	27.5
Consume fruit 1 or more times per day	66.1	64.6	67.5
Consume vegetables 1 or more times per day	80.4	79.1	81.7
Clinical Preventive Practice			
Routine Check-up in past year	80.5	79.3	81.6
Had flu shot in past year (all ages)	49.7	48.2	51.2
Had flu shot in past year (65+)	70.0	67.9	72.1
Ever had pneumonia shot (all ages)	35.3	33.8	36.7
Ever had pneumonia shot (65+)	74.5	72.5	76.5
Ever tested for HIV	40.9	39.3	42.4
HIV related risk behaviors	5.5	4.7	6.3
Had shingles vaccine (50+)	31.2	29.8	32.7
Received tetanus shot within past 10 years	69.7	68.2	71.1
Chronic Diseases			
Current asthma	10.5	9.6	11.4

Adult Health Indicators	%	95% CL	
Former asthma	5.8	5.0	6.6
COPD	5.2	4.6	5.8
Arthritis	23.6	22.6	24.7
Cardiovascular diseases	6.6	6.0	7.2
Diabetes	9.6	8.8	10.3
Chronic Diseases			
▪ Ever taken class in diabetes management among adults diagnosed with diabetes	40.3	36.4	44.2
▪ Tested A1C more than twice per year among adults diagnosed with diabetes	73.2	69.4	77.1
Kidney disease	2.4	2.0	2.7
Depression	14.4	13.4	15.4
High blood pressure	30.9	29.7	32.1
High blood cholesterol	32.2	30.9	33.5
Other Topics			
Home/Self-measured Blood Pressure			
Recommended to check blood pressure outside of the office or at home by doctor, nurse or other healthcare professional	22.8	21.6	23.9
Regularly checks blood pressure outside of healthcare professional's office or at home	22.8	21.6	23.9
▪ Check blood pressure mostly at home	78.6	76.3	81.0
▪ Share blood pressure results in person with healthcare professional	69.6	66.9	72.2
Hepatitis Treatment			
Ever told had Hepatitis C by a doctor or other health professional	1.4	1.0	1.8
▪ Treated for Hepatitis C in 2015 or after	48.8	35.0	62.6
▪ Treated for Hepatitis C prior to 2015	41.5*	28.8	54.3
Ever told had Hepatitis B by a doctor or other health professional	0.7*	0.5	1.0
Cognitive Decline			
Have experienced confusion or memory loss	7.3	6.5	8.1
▪ Have discussed with a health care professional regarding confusion or memory loss	49.9	44.0	55.8
Family Planning			
Women did anything to keep from getting pregnant during most recent sex with a man	60.1	56.2	63.9
Radon			
Tested air for the presence of radon gas in the household	48.2	46.5	49.8
▪ Had high level of radon gas	7.4	6.1	8.7
• Did something to reduce the radon (among household with high radon level)	87.3	81.8	92.9
Plan to have household air tested for radon within the next year	12.3	11.1	13.5
Social Context			
Always/Usually worried about paying rent/mortgage	13.3	12.2	14.5
Always/Usually worried about buying nutritious meals	7.9	7.0	8.9
Prescription Drug Access			
Safe storage of prescription opioid-based pain relievers	35.7	34.2	37.3
Aware of safe disposal of prescription opioid-based pain relievers	76.7	75.3	78.1

Adult Health Indicators	%	95% CL	
Other Topics			
Traumatic Brain Injury			
Diagnosed with traumatic brain injury or concussion in last year	1.9*	1.3	2.4
Sexual Orientation			
Identify as LGBT	6.8	6.0	7.7

Child Health Indicators	%	95% CL	
Overweight (5-17 years old)	14.1	11.0	17.2
Obese (5-17 years old)	16.3	12.8	19.7
Ever breastfed	82.0	79.2	84.8
Excessive screen time (2-17 years old)	59.8	55.8	63.7
Drank soda or sugary drinks at least once daily (2-17 years old)	26.4	22.9	30.0
Ate fast food at least twice weekly (2-17 years old)	38.6	34.7	42.5
Visited dentist in past year	86.2	83.7	88.6
Ever received dental sealant on permanent teeth (5-17 years old)	48.0	43.7	52.2
Had dental decay in the past 12 months	16.5	13.5	19.6
Current asthma	8.8	6.9	10.7
Former asthma	5.2	3.5	6.8

‘*’ estimates have a CV between 15% and 20%;

‘**’ estimates have a CV between 20.1% and 30%;

‘-’ estimates were suppressed because of limited validity (CV>30%).

Fair or Poor Health

Indicator Description: Among all adults, the proportion who reported that their health, in general, was either fair or poor.

Demographics		%	95% CI	
Total		14.9	13.9	15.9
Age	18-34 years old	10.2	8.1	12.2
	35-54 years old	14.5	12.5	16.4
	55 and over	18.6	17.2	20.0
Sex	Male	14.4	12.9	15.8
	Female	15.3	13.9	16.7
Race/ Ethnicity	Non-Hispanic White	12.1	11.0	13.1
	Non-Hispanic Black	20.6	16.8	24.4
	Hispanic	24.2	20.6	27.9
	Non-Hispanic Other	14.6	10.4	18.8
Income	Less than \$35,000	30.8	28.0	33.7
	\$35,000-\$74,999	13.5	11.4	15.7
	\$75,000 and more	5.5	4.5	6.5
Insurance	Insured	14.4	13.3	15.4
	Not Insured	21.2	16.6	25.7
Disability	Disabled	39.5	36.6	42.5
	Non-disabled	7.7	6.8	8.6
Education	High School Graduate or Less	24.0	21.8	26.1
	More than High School	9.3	8.4	10.3

Poor Physical Health

Indicator Description: Among all adults, the proportion who reported 14 or more days of poor physical health, which includes physical illness and injury, during the past 30 days.

Demographics		%	95% CI	
Total		10.6	9.7	11.4
Age	18-34 years old	7.0	5.2	8.8
	35-54 years old	9.2	7.7	10.7
	55 and over	14.3	13.0	15.5
Sex	Male	9.6	8.4	10.8
	Female	11.5	10.3	12.7
Race/ Ethnicity	Non-Hispanic White	9.6	8.7	10.5
	Non-Hispanic Black	10.7	7.8	13.7
	Hispanic	13.3	10.4	16.1
	Non-Hispanic Other*	11.8	7.9	15.7
Income	Less than \$35,000	18.8	16.5	21.1
	\$35,000-\$74,999	9.4	7.6	11.2
	\$75,000 and more	5.5	4.6	6.5
Insurance	Insured	10.6	9.8	11.5
	Not Insured*	9.6	6.4	12.8
Disability	Disabled	31.0	28.2	33.8
	Non-disabled	5.0	4.3	5.8
Education	High School Graduate or Less	14.6	12.9	16.4
	More than High School	8.2	7.3	9.1

Poor Mental Health

Indicator Description: Among all adults, the proportion who reported 14 or more days of poor mental health, during the past 30 days.

Demographics		%	95% CI	
Total		11.3	10.4	12.3
Age	18-34 years old	15.6	13.0	18.2
	35-54 years old	10.9	9.3	12.4
	55 and over	9.1	8.0	10.1
Sex	Male	10.3	8.9	11.8
	Female	12.3	11.0	13.6
Race/ Ethnicity	Non-Hispanic White	11.0	9.8	12.1
	Non-Hispanic Black	12.7	9.6	15.9
	Hispanic	11.0	8.4	13.7
	Non-Hispanic Other*	13.6	9.2	18.0
Income	Less than \$35,000	18.4	16.0	20.8
	\$35,000-\$74,999	10.9	8.9	12.8
	\$75,000 and more	7.4	6.0	8.8
Insurance	Insured	11.8	10.7	12.8
	Not Insured*	7.0	4.5	9.5
Disability	Disabled	28.7	25.7	31.7
	Non-disabled	6.6	5.7	7.5
Education	High School Graduate or Less	14.5	12.6	16.3
	More than High School	9.5	8.4	10.6

Disability

Indicator Description: Among all adults, the proportion who reported being blind, or deaf, or serious difficulty in walking or climbing stairs, difficulty in dressing or bathing, or limited in any activities because of physical, mental, or emotional problems, or reported that they required use of special equipment (such as a cane, a wheelchair, a special bed, or a special telephone) due to a health problem.

Demographics		%	95% CI	
Total		22.9	21.7	24.2
Age	18-34 years old	17.9	15.0	20.8
	35-54 years old	17.4	15.4	19.5
	55 and over	30.6	28.9	32.2
Sex	Male	21.9	20.1	23.6
	Female	23.9	22.2	25.6
Race/ Ethnicity	Non-Hispanic White	21.4	20.1	22.8
	Non-Hispanic Black	25.2	21.0	29.5
	Hispanic	29.0	24.9	33.0
	Non-Hispanic Other	20.0	15.1	24.9
Income	Less than \$35,000	41.8	38.7	45.0
	\$35,000-\$74,999	21.7	19.1	24.2
	\$75,000 and more	10.9	9.5	12.3
Insurance	Insured	22.8	21.5	24.0
	Not Insured	23.8	18.2	29.3
Education	High School Graduate or Less	33.7	31.2	36.2
	More than High School	16.7	15.4	17.9

Overweight

Indicator Description: Among all adults, the proportion of respondents whose BMI was greater than or equal to 25.0, but less than 30.0.

Demographics		%	95% CI	
Total		36.6	35.1	38.0
Age	18-34 years old	32.0	28.5	35.4
	35-54 years old	38.2	35.4	40.9
	55 and over	38.7	37.0	40.4
Sex	Male	42.1	40.0	44.2
	Female	31.0	29.1	33.0
Race/ Ethnicity	Non-Hispanic White	36.0	34.4	37.6
	Non-Hispanic Black	32.9	27.9	37.9
	Hispanic	40.9	36.1	45.7
	Non-Hispanic Other	34.5	28.6	40.4
Income	Less than \$35,000	32.9	29.8	36.0
	\$35,000-\$74,999	38.8	35.7	41.9
	\$75,000 and more	37.3	35.0	39.6
Insurance	Insured	36.3	34.8	37.8
	Not Insured	39.8	33.5	46.2
Disability	Disabled	33.1	30.0	36.1
	Non-disabled	37.6	35.9	39.3
Education	High School Graduate or Less	37.1	34.5	39.8
	More than High School	36.2	34.6	37.9

Obese

Indicator Description: Among all adults, the proportion of respondents whose BMI was greater than or equal to 30.0.

Demographics		%	95% CI	
Total		29.1	27.7	30.5
Age	18-34 years old	23.7	20.5	26.9
	35-54 years old	32.7	30.1	35.2
	55 and over	30.3	28.6	32.0
Sex	Male	29.9	27.9	31.9
	Female	28.3	26.4	30.2
Race/ Ethnicity	Non-Hispanic White	26.5	25.0	28.0
	Non-Hispanic Black	44.0	38.9	49.1
	Hispanic	35.5	31.0	40.0
	Non-Hispanic Other	21.7	16.9	26.6
Income	Less than \$35,000	37.0	33.9	40.1
	\$35,000-\$74,999	32.3	29.2	35.3
	\$75,000 and more	25.0	23.0	27.0
Insurance	Insured	29.3	27.9	30.8
	Not Insured	26.9	21.3	32.6
Disability	Disabled	38.3	35.3	41.4
	Non-disabled	26.6	25.0	28.1
Education	High School Graduate or Less	33.1	30.5	35.7
	More than High School	26.7	25.1	28.2

Insurance Coverage

Indicator Description: Among all adults, the proportion who reported having health care coverage, including health insurance, prepaid plans such as HMOs, or government plans, such as Medicare or Indian Health Services.

Demographics		%	95% CI	
Total		91.7	90.8	92.6
Age	18-34 years old	87.3	84.9	89.7
	35-54 years old	90.1	88.5	91.7
	55 and over	95.8	95.0	96.6
Sex	Male	90.8	89.5	92.1
	Female	92.5	91.3	93.7
Race/ Ethnicity	Non-Hispanic White	96.0	95.3	96.8
	Non-Hispanic Black	89.9	87.0	92.8
	Hispanic	74.4	70.5	78.2
	Non-Hispanic Other**	90.0	-	-
Income	Less than \$35,000	83.6	81.0	86.2
	\$35,000-\$74,999	91.5	89.6	93.4
	\$75,000 and more*	97.6	96.8	98.4
Disability	Disabled	91.9	89.8	93.9
	Non-disabled	92.3	91.3	93.2
Education	High School Graduate or Less	85.3	83.4	87.3
	More than High School	95.6	94.9	96.4

Private Insurance

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having private insurance.

Demographics		%	95% CI	
Total		62.0	60.3	63.7
Age	18-34 years old	52.0	48.5	55.5
	35-54 years old	67.4	64.9	69.8
	55 and over	68.3	65.7	70.8
Sex	Male	64.0	61.6	66.4
	Female	60.1	57.6	62.5
Race/ Ethnicity	Non-Hispanic White	71.8	69.8	73.7
	Non-Hispanic Black	52.0	46.4	57.6
	Hispanic	36.6	32.1	41.1
	Non-Hispanic Other	61.2	54.5	68.0
Income	Less than \$35,000	20.2	17.0	23.4
	\$35,000-\$74,999	66.0	62.2	69.8
	\$75,000 and more	87.0	86.0	89.0
Disability	Disabled	36.7	32.7	40.7
	Non-disabled	69.5	67.7	71.4
Education	High School Graduate or Less	43.6	40.4	46.8
	More than High School	73.1	71.3	74.9

Medicare

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having Medicare.

Demographics		%	95% CI	
Total		6.3	5.4	7.2
Age	18-34 years old	6.1	4.4	7.8
	35-54 years old	4.7	3.6	5.9
	55 and over	9.3	7.6	11.1
Sex	Male	6.8	5.5	8.1
	Female	5.9	4.7	7.0
Race/ Ethnicity	Non-Hispanic White	5.4	4.4	6.4
	Non-Hispanic Black*	6.8	4.3	9.3
	Hispanic*	8.8	6.1	11.4
	Non-Hispanic Other**	5.0	-	-
Income	Less than \$35,000	16.4	13.7	19.2
	\$35,000-\$74,999**	5.0	-	-
	\$75,000 and more	-	-	-
Disability	Disabled	15.5	12.8	18.1
	Non-disabled	3.1	2.4	3.7
Education	High School Graduate or Less	9.8	7.8	11.8
	More than High School	4.3	3.6	5.1

Medicaid

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having Medicaid.

Demographics		%	95% CI	
Total		10.2	9.1	11.3
Age	18-34 years old	12.6	10.3	14.9
	35-54 years old	9.5	7.9	11.0
	55 and over	7.8	6.4	9.1
Sex	Male	6.7	5.4	8.0
	Female	13.6	11.8	15.3
Race/ Ethnicity	Non-Hispanic White	7.8	6.7	8.9
	Non-Hispanic Black	16.4	12.5	20.4
	Hispanic	15.7	12.2	19.1
	Non-Hispanic Other**	5.0	-	-
Income	Less than \$35,000	28.8	25.3	32.2
	\$35,000-\$74,999	7.6	5.4	9.7
	\$75,000 and more**	<0.1	-	-
Disability	Disabled	20.5	17.1	23.8
	Non-disabled	7.5	6.4	8.5
Education	High School Graduate or Less	15.1	12.8	17.4
	More than High School	7.2	6.2	8.3

No Insurance

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having no health insurance.

Demographics		%	95% CI	
Total		10.0	8.9	11.1
Age	18-34 years old	12.7	10.3	15.1
	35-54 years old	9.9	8.3	11.5
	55 and over	6.1	4.7	7.4
Sex	Male	10.7	9.1	12.3
	Female	9.3	7.7	10.9
Race/ Ethnicity	Non-Hispanic White	4.9	3.9	5.9
	Non-Hispanic Black*	11.3	8.0	14.7
	Hispanic	26.7	22.6	30.7
	Non-Hispanic Other**	10.0	-	-
Income	Less than \$35,000	20.6	17.2	23.9
	\$35,000-\$74,999	11.0	8.5	13.5
	\$75,000 and more*	2.5	1.6	3.4
Disability	Disabled	10.8	7.7	13.8
	Non-disabled	9.1	7.9	10.3
Education	High School Graduate or Less	17.9	15.4	20.3
	More than High School	5.2	4.2	6.2

At Least One Regular Doctor

Indicator Description: Among all adults, the proportion who reported that they have at least one person they thought of as their personal doctor or health care provider.

Demographics		%	95% CI	
Total		83.4	82.2	84.5
Age	18-34 years old	69.8	66.6	72.9
	35-54 years old	82.1	80.0	84.1
	55 and over	93.8	92.9	94.7
Sex	Male	79.5	77.7	81.3
	Female	87.0	85.5	88.5
Race/ Ethnicity	Non-Hispanic White	87.7	86.5	88.9
	Non-Hispanic Black	83.6	80.0	87.1
	Hispanic	65.7	61.5	69.9
	Non-Hispanic Other	78.8	73.7	83.9
Income	Less than \$35,000	76.1	73.2	79.0
	\$35,000-\$74,999	83.8	81.3	86.2
	\$75,000 and more	90.1	88.6	91.5
Insurance	Insured	87.0	85.9	88.0
	Not Insured	42.6	37.1	48.1
Disability	Disabled	85.9	83.5	88.3
	Non-disabled	83.5	82.2	84.8
Education	High School Graduate or Less	76.1	73.8	78.4
	More than High School	88.0	86.8	89.1

Skip Doctor Visit Due to Cost

Indicator Description: Among all adults, the proportion who that in the past 12 months, they could not see a doctor when needed due to the cost.

Demographics		%	95% CI	
Total		9.9	9.0	10.8
Age	18-34 years old	14.0	11.8	16.3
	35-54 years old	11.1	9.4	12.7
	55 and over	6.4	5.5	7.3
Sex	Male	9.9	8.6	11.2
	Female	9.9	8.7	11.1
Race/ Ethnicity	Non-Hispanic White	7.7	6.8	8.6
	Non-Hispanic Black*	9.6	6.7	12.5
	Hispanic	19.1	15.7	22.5
	Non-Hispanic Other*	10.0	6.9	13.1
Income	Less than \$35,000	15.7	13.3	18.0
	\$35,000-\$74,999	13.0	10.7	15.2
	\$75,000 and more	4.6	3.6	5.6
Insurance	Insured	7.8	7.0	8.6
	Not Insured	32.1	26.9	37.4
Disability	Disabled	16.7	14.3	19.0
	Non-disabled	7.7	6.7	8.6
Education	High School Graduate or Less	11.7	10.0	13.4
	More than High School	8.8	7.8	9.8

Food Insecurity

Indicator Description: Among all adults, the proportion who “always” or “usually” felt worried or stressed about having enough money to buy nutritious meals.

Demographics		%	95% CI	
Total		7.9	7.0	8.9
Age	18-34 years old	13.3	10.4	16.2
	35-54 years old	9.0	7.2	10.8
	55 and over	4.2	3.4	4.9
Sex	Male	7.3	5.9	8.8
	Female	8.5	7.2	9.9
Race/ Ethnicity	Non-Hispanic White	6.4	5.4	7.5
	Non-Hispanic Black*	10.5	7.1	13.8
	Hispanic	13.6	9.7	17.4
	Non-Hispanic Other**	10.0	-	-
Income	Less than \$35,000	18.3	15.5	21.2
	\$35,000-\$74,999	9.5	7.0	12.0
	\$75,000 and more**	<0.1	-	-
Insurance	Insured	7.6	6.6	8.6
	Not Insured*	12.9	8.3	17.6
Disability	Disabled	17.8	15.0	20.7
	Non-disabled	4.9	4.0	5.9
Education	High School Graduate or Less	11.6	9.5	13.7
	More than High School	5.9	5.0	6.9

Housing Insecurity

Indicator Description: Among all adults, the proportion who “always” or “usually” felt worried or stressed about having enough money to pay for housing.

Demographics		%	95% CI	
Total		13.3	12.2	14.5
Age	18-34 years old	17.9	14.3	21.5
	35-54 years old	15.9	13.7	18.1
	55 and over	9.5	8.3	10.7
Sex	Male	12.8	11.0	14.5
	Female	13.9	12.2	15.5
Race/ Ethnicity	Non-Hispanic White	11.5	10.3	12.8
	Non-Hispanic Black	16.6	12.5	20.7
	Hispanic	21.1	16.5	25.8
	Non-Hispanic Other**	10.0	-	-
Income	Less than \$35,000	29.1	25.7	32.4
	\$35,000-\$74,999	14.7	11.9	17.4
	\$75,000 and more	5.1	3.8	6.4
Insurance	Insured	12.6	11.4	13.8
	Not Insured	22.7	16.9	28.5
Disability	Disabled	26.8	23.6	30.0
	Non-disabled	9.3	8.1	10.5
Education	High School Graduate or Less	19.9	17.3	22.5
	More than High School	9.7	8.6	10.9

Binge Drinking

Indicator Description: Among all adults, the proportion who reported consuming five or more drinks per occasion (for men) or four or more (for women) at least once in the previous month.

Demographics		%	95% CI	
Total		15.6	14.5	16.8
Age	18-34 years old	25.0	21.8	28.2
	35-54 years old	18.3	16.1	20.4
	55 and over	7.9	6.9	8.8
Sex	Male	19.6	17.7	21.4
	Female	12.0	10.6	13.5
Race/ Ethnicity	Non-Hispanic White	16.4	15.0	17.7
	Non-Hispanic Black*	9.2	6.3	12.1
	Hispanic	19.2	15.2	23.2
	Non-Hispanic Other*	11.6	7.2	16.0
Income	Less than \$35,000	13.5	11.1	15.9
	\$35,000-\$74,999	17.0	14.3	19.8
	\$75,000 and more	19.3	17.2	21.3
Insurance	Insured	15.8	14.5	17.0
	Not Insured	15.6	11.2	19.9
Disability	Disabled	13.1	10.8	15.4
	Non-disabled	16.5	15.1	17.9
Education	High School Graduate or Less	14.7	12.6	16.8
	More than High School	16.3	14.9	17.7

Heavy Drinking

Indicator Description: Among all adults, the proportion who reported consuming an average of more than two alcoholic drinks per day for men, or more than one per day for women in the previous month.

Demographics		%	95% CI	
Total		6.2	5.4	6.9
Age	18-34 years old	6.9	4.9	8.9
	35-54 years old	6.2	4.9	7.5
	55 and over	5.6	4.8	6.4
Sex	Male	6.3	5.0	7.5
	Female	6.1	5.2	7.0
Race/ Ethnicity	Non-Hispanic White	6.7	5.9	7.6
	Non-Hispanic Black**	5.0	-	-
	Hispanic**	5.0	-	-
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000*	5.3	3.5	7.0
	\$35,000-\$74,999	7.2	5.5	8.9
	\$75,000 and more	7.8	6.5	9.2
Insurance	Insured	6.1	5.4	6.9
	Not Insured	-	-	-
Disability	Disabled	6.5	4.7	8.3
	Non-disabled	6.1	5.3	7.0
Education	High School Graduate or Less	5.7	4.3	7.1
	More than High School	6.5	5.6	7.3

Excessive Drinking

Indicator Description: Among all adults, the proportion of adults who drank alcohol excessively (either heavy or binge drinkers).

Demographics		%	95% CI	
Total		17.6	16.3	18.8
Age	18-34 years old	26.3	23.0	29.5
	35-54 years old	19.5	17.4	21.7
	55 and over	10.5	9.5	11.6
Sex	Male	20.7	18.8	22.6
	Female	14.6	13.1	16.2
Race/ Ethnicity	Non-Hispanic White	18.6	17.2	20.0
	Non-Hispanic Black	10.8	7.7	13.9
	Hispanic	20.0	16.0	24.1
	Non-Hispanic Other*	12.8	8.2	17.4
Income	Less than \$35,000	15.1	12.5	17.7
	\$35,000-\$74,999	19.4	16.6	22.2
	\$75,000 and more	21.6	19.5	23.7
Insurance	Insured	17.6	16.3	18.8
	Not Insured*	18.8	13.6	23.9
Disability	Disabled	15.4	12.9	17.9
	Non-disabled	18.3	16.9	19.7
Education	High School Graduate or Less	15.8	13.6	17.9
	More than High School	18.7	17.2	20.2

No Leisure Time Physical Activities

Indicator Description: Among all adults, the proportion who reported not participating in any leisure time physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise during the past month.

Demographics		%	95% CI	
Total		23.5	22.2	24.8
Age	18-34 years old	20.9	17.9	23.9
	35-54 years old	23.2	20.9	25.5
	55 and over	25.0	23.5	26.6
Sex	Male	21.6	19.8	23.3
	Female	25.3	23.5	27.1
Race/ Ethnicity	Non-Hispanic White	20.3	19.0	21.7
	Non-Hispanic Black	28.5	24.1	32.9
	Hispanic	34.5	30.0	38.9
	Non-Hispanic Other	24.8	19.0	30.5
Income	Less than \$35,000	36.2	33.2	39.3
	\$35,000-\$74,999	24.0	21.2	26.7
	\$75,000 and more	13.0	11.5	14.5
Insurance	Insured	22.1	20.8	23.4
	Not Insured	37.5	31.6	43.4
Disability	Disabled	40.3	37.3	43.3
	Non-disabled	18.4	17.0	19.7
Education	High School Graduate or Less	34.0	31.4	36.5
	More than High School	17.3	16.0	18.6

Met Aerobic and Strengthening Guidelines

Indicator Description: Among all adults, the proportion who met both aerobic and strengthening exercise guidelines.

Demographics		%	95% CI	
Total		26.1	24.8	27.5
Age	18-34 years old	27.4	24.0	30.8
	35-54 years old	24.3	21.9	26.8
	55 and over	27.0	25.5	28.5
Sex	Male	27.2	25.2	29.2
	Female	25.1	23.2	26.9
Race/ Ethnicity	Non-Hispanic White	27.6	26.0	29.1
	Non-Hispanic Black	20.8	16.1	25.5
	Hispanic	23.7	19.4	28.1
	Non-Hispanic Other	24.6	19.1	30.2
Income	Less than \$35,000	19.3	16.7	21.9
	\$35,000-\$74,999	25.0	22.2	27.8
	\$75,000 and more	31.2	29.0	33.5
Insurance	Insured	26.6	25.2	28.0
	Not Insured	20.5	15.0	25.9
Disability	Disabled	18.3	15.9	20.8
	Non-disabled	28.3	26.7	29.9
Education	High School Graduate or Less	20.3	17.9	22.6
	More than High School	29.6	27.9	31.2

Consume Fruit One or More Times

Indicator Description: Among all adults, the proportion who reported that they ate fruits at least once daily.

Demographics		%	95% CI	
Total		66.1	64.6	67.5
Age	18-34 years old	61.9	58.3	65.6
	35-54 years old	63.3	60.6	66.1
	55 and over	70.5	68.8	72.1
Sex	Male	61.7	59.5	63.9
	Female	70.1	68.1	72.0
Race/ Ethnicity	Non-Hispanic White	67.8	66.1	69.4
	Non-Hispanic Black	57.6	52.4	62.7
	Hispanic	62.3	57.4	67.1
	Non-Hispanic Other	66.4	60.1	72.6
Income	Less than \$35,000	59.8	56.6	63.1
	\$35,000-\$74,999	65.7	62.5	68.8
	\$75,000 and more	69.5	67.3	71.8
Insurance	Insured	66.3	64.8	67.8
	Not Insured	63.6	57.4	69.7
Disability	Disabled	62.3	59.2	65.4
	Non-disabled	67.3	65.6	68.9
Education	High School Graduate or Less	61.7	58.9	64.5
	More than High School	68.5	66.9	70.2

Consume Vegetables One or More Times

Indicator Description: Among all adults, the proportion who reported that they ate vegetables at least once daily.

Demographics		%	95% CI	
Total		80.4	79.1	81.7
Age	18-34 years old	75.5	72.0	79.0
	35-54 years old	79.9	77.5	82.2
	55 and over	83.9	82.6	85.2
Sex	Male	77.2	75.2	79.3
	Female	83.3	81.6	85.0
Race/ Ethnicity	Non-Hispanic White	84.2	82.8	85.5
	Non-Hispanic Black	75.4	70.7	80.0
	Hispanic	61.8	56.7	66.9
	Non-Hispanic Other*	87.3	83.4	91.1
Income	Less than \$35,000	69.9	66.7	73.2
	\$35,000-\$74,999	79.7	76.8	82.7
	\$75,000 and more	87.6	85.8	89.4
Insurance	Insured	81.4	80.1	82.8
	Not Insured	66.4	60.1	72.7
Disability	Disabled	72.7	69.6	75.8
	Non-disabled	82.5	81.1	84.0
Education	High School Graduate or Less	71.4	68.6	74.1
	More than High School	85.3	83.9	86.6

Current Smoker

Indicator Description: Among all adults, the proportion who reported that they had ever smoked at least 100 cigarettes in their life and that they smoke cigarettes now, either every day or on some days.

Demographics		%	95% CI	
Total		12.1	11.1	13.1
Age	18-34 years old	13.0	10.4	15.5
	35-54 years old	14.7	12.8	16.6
	55 and over	9.7	8.6	10.8
Sex	Male	13.7	12.1	15.2
	Female	10.6	9.3	11.9
Race/ Ethnicity	Non-Hispanic White	12.3	11.1	13.5
	Non-Hispanic Black	14.2	10.9	17.5
	Hispanic	10.9	8.2	13.6
	Non-Hispanic Other	10.4	6.4	14.4
Income	Less than \$35,000	22.1	19.4	24.9
	\$35,000-\$74,999	13.0	10.8	15.2
	\$75,000 and more	7.4	6.0	8.7
Insurance	Insured	11.8	10.8	12.8
	Not Insured*	16.1	11.4	20.9
Disability	Disabled	21.6	18.8	24.4
	Non-disabled	9.3	8.3	10.3
Education	High School Graduate or Less	17.4	15.4	19.4
	More than High School	9.0	7.9	10.1

Ever Use E-cigarette

Indicator Description: Among all adults, the proportion who reported that they ever used e-cigarettes or other electronic vaping products, either every day or on some days.

Demographics		%	95% CI	
Total		19.6	18.2	21.0
Age	18-34 years old	42.2	38.1	46.3
	35-54 years old	17.9	15.7	20.2
	55 and over	8.0	6.9	9.0
Sex	Male	23.1	20.9	25.2
	Female	16.5	14.6	18.3
Race/ Ethnicity	Non-Hispanic White	19.6	18.0	21.3
	Non-Hispanic Black	16.2	12.2	20.2
	Hispanic	21.0	16.5	25.5
	Non-Hispanic Other*	19.2	13.2	25.3
Income	Less than \$35,000	23.7	20.6	26.9
	\$35,000-\$74,999	22.0	18.9	25.1
	\$75,000 and more	17.2	15.0	19.5
Insurance	Insured	19.5	18.0	20.9
	Not Insured	22.7	16.9	28.4
Disability	Disabled	25.3	22.0	28.6
	Non-disabled	18.0	16.4	19.5
Education	High School Graduate or Less	23.7	20.9	26.4
	More than High School	17.4	15.8	19.0

Ever Tried Smoking Cigars

Indicator Description: Among all adults, the proportion who reported that they ever tried smoking cigars, cigarillos, clove cigars, little cigars, or flavored little cigars.

Demographics		%	95% CI	
Total		35.9	31.9	40.0
Age	18-34 years old	35.0	28.6	41.4
	35-54 years old	31.7	25.6	37.7
	55 and over	45.9	38.9	52.9
Sex	Male	20.4	16.3	24.5
	Female	56.0	49.7	62.3
Race/ Ethnicity	Non-Hispanic White	32.6	27.9	37.4
	Non-Hispanic Black	53.9	40.3	67.4
	Hispanic	46.8	34.6	59.0
	Non-Hispanic Other**	30.0	-	-
Income	Less than \$35,000	49.9	41.9	57.8
	\$35,000-\$74,999	36.8	28.9	44.7
	\$75,000 and more	26.2	19.3	33.0
Insurance	Insured	35.2	31.0	39.3
	Not Insured*	44.5	29.3	59.6
Disability	Disabled	43.4	35.5	51.3
	Non-disabled	33.0	28.4	37.7
Education	High School Graduate or Less	36.2	29.8	42.7
	More than High School	35.6	30.4	40.9

Ever Tried Hookah

Indicator Description: Among all adults, the proportion who reported that they ever tried smoking tobacco from a hookah.

Demographics		%	95% CI	
Total		15.7	14.4	17.0
Age	18-34 years old	36.9	32.9	40.8
	35-54 years old	14.1	12.0	16.2
	55 and over	4.7	3.9	5.5
Sex	Male	19.9	17.9	22.0
	Female	11.8	10.2	13.4
Race/ Ethnicity	Non-Hispanic White	14.6	13.1	16.1
	Non-Hispanic Black	13.4	9.8	17.0
	Hispanic	20.8	16.3	25.3
	Non-Hispanic Other	20.2	14.8	25.6
Income	Less than \$35,000	15.2	12.4	18.0
	\$35,000-\$74,999	17.8	15.0	20.6
	\$75,000 and more	17.1	14.9	19.4
Insurance	Insured	15.7	14.3	17.0
	Not Insured*	16.4	11.2	21.7
Disability	Disabled	14.5	11.7	17.4
	Non-disabled	16.1	14.6	17.6
Education	High School Graduate or Less	14.1	11.7	16.5
	More than High School	16.7	15.1	18.2

Current E-cigarette Use

Indicator Description: Among all adults, the proportion who reported that they currently use e-cigarettes or other electronic vaping products, either everyday or on some days.

Demographics		%	95% CI	
Total		5.2	4.4	6.1
Age	18-34 years old	14.5	11.4	17.6
	35-54 years old*	2.9	2.0	3.8
	55 and over*	1.5	1.0	2.0
Sex	Male	6.8	5.3	8.3
	Female	3.8	2.8	4.9
Race/ Ethnicity	Non-Hispanic White	5.5	4.5	6.5
	Non-Hispanic Black	-	-	-
	Hispanic**	5.0	-	-
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000	6.8	4.9	8.8
	\$35,000-\$74,999*	5.5	3.6	7.3
	\$75,000 and more*	4.3	2.8	5.8
Insurance	Insured	5.3	4.3	6.2
	Not Insured**	5.0	-	-
Disability	Disabled	6.0	4.3	7.7
	Non-disabled	5.0	4.0	6.1
Education	High School Graduate or Less	7.5	5.6	9.4
	More than High School	4.0	3.1	4.9

Secondhand Tobacco Smoke or Aerosol Exposure at Workplace

Indicator Description: Among all working adults, the proportion who reported they breathed the smoke or aerosol from someone, either indoors or outdoors, who was smoking or vaping a tobacco product during the past 7 days.

Demographics		%	95% CI	
Total		26.5	24.6	28.5
Age	18-34 years old	38.9	34.2	43.6
	35-54 years old	25.3	22.4	28.2
	55 and over	17.0	14.7	19.3
Sex	Male	29.3	26.6	32.1
	Female	23.4	20.7	26.1
Race/ Ethnicity	Non-Hispanic White	24.5	22.4	26.7
	Non-Hispanic Black	27.0	21.0	32.9
	Hispanic	38.0	31.5	44.5
	Non-Hispanic Other*	19.5	12.9	26.0
Income	Less than \$35,000	36.3	30.7	42.0
	\$35,000-\$74,999	30.0	25.7	34.2
	\$75,000 and more	22.9	20.4	25.5
Insurance	Insured	26.0	24.0	28.0
	Not Insured	32.7	25.6	39.8
Disability	Disabled	38.6	32.3	44.8
	Non-disabled	24.6	22.7	26.6
Education	High School Graduate or Less	36.1	31.8	40.3
	More than High School	22.2	20.3	24.2

Secondhand Tobacco Smoke or Aerosol Exposure at Public Place

Indicator Description: Among all adults, the proportion who reported they breathed the smoke or aerosol from someone else who was smoking or vaping a tobacco product in an indoor or outdoor public place during the past 7 days.

Demographics		%	95% CI	
Total		28.2	26.7	29.8
Age	18-34 years old	46.0	41.8	50.1
	35-54 years old	29.0	26.4	31.6
	55 and over	18.1	16.6	19.6
Sex	Male	30.6	28.3	32.9
	Female	26.1	24.1	28.1
Race/ Ethnicity	Non-Hispanic White	26.8	25.1	28.5
	Non-Hispanic Black	29.7	24.7	34.6
	Hispanic	37.1	31.8	42.4
	Non-Hispanic Other	22.7	16.7	28.7
Income	Less than \$35,000	31.9	28.5	35.2
	\$35,000-\$74,999	31.4	28.1	34.8
	\$75,000 and more	28.0	25.6	30.4
Insurance	Insured	28.1	26.5	29.7
	Not Insured	32.1	25.8	38.4
Disability	Disabled	31.8	28.5	35.1
	Non-disabled	27.4	25.7	29.1
Education	High School Graduate or Less	31.6	28.7	34.6
	More than High School	26.5	24.8	28.2

Routine Checkup in the past year

Indicator Description: Among all adults, the proportion who reported that they did not have had a routine checkup in the past year.

Demographics		%	95% CI	
Total		80.5	79.3	81.6
Age	18-34 years old	71.5	68.4	74.7
	35-54 years old	77.2	75.0	79.3
	55 and over	88.9	87.8	90.0
Sex	Male	77.1	75.3	78.9
	Female	83.6	82.0	85.1
Race/ Ethnicity	Non-Hispanic White	80.6	79.3	82.0
	Non-Hispanic Black	88.3	85.3	91.3
	Hispanic	75.6	71.8	79.4
	Non-Hispanic Other	77.0	71.4	82.6
Income	Less than \$35,000	81.4	78.9	83.9
	\$35,000-\$74,999	78.7	76.0	81.4
	\$75,000 and more	80.6	78.6	82.5
Insurance	Insured	82.4	81.2	83.5
	Not Insured	60.0	54.4	65.6
Disability	Disabled	86.1	84.0	88.2
	Non-disabled	78.8	77.3	80.2
Education	High School Graduate or Less	80.3	78.1	82.5
	More than High School	80.5	79.1	81.9

Flu Shot in the past year

Indicator Description: Among all adults, the proportion who reported that they had a flu shot in the past year.

Demographics		%	95% CI	
Total		49.7	48.2	51.2
Age	18-34 years old	37.4	33.7	41.2
	35-54 years old	42.3	39.6	45.1
	55 and over	62.9	61.2	64.7
Sex	Male	45.8	43.6	48.0
	Female	53.3	51.2	55.4
Race/ Ethnicity	Non-Hispanic White	54.6	52.9	56.3
	Non-Hispanic Black	45.2	40.0	50.3
	Hispanic	33.6	28.8	38.3
	Non-Hispanic Other	43.1	36.5	49.8
Income	Less than \$35,000	44.3	41.1	47.6
	\$35,000-\$74,999	45.8	42.5	49.0
	\$75,000 and more	54.9	52.5	57.3
Insurance	Insured	51.6	50.0	53.1
	Not Insured	26.7	21.2	32.1
Disability	Disabled	52.3	49.1	55.4
	Non-disabled	48.9	47.2	50.6
Education	High School Graduate or Less	42.8	40.0	45.6
	More than High School	53.5	51.8	55.3

Flu Shot in the past year (65+)

Indicator Description: Among adults 65 and older, the proportion who reported that they had a flu shot in the past year.

Demographics		%	95% CI	
Total		70.0	67.9	72.1
Sex	Male	71.0	68.0	74.1
	Female	69.2	66.4	72.0
Race/ Ethnicity	Non-Hispanic White	71.8	69.8	73.9
	Non-Hispanic Black	61.8	51.9	71.7
	Hispanic**	65.0	-	-
	Non-Hispanic Other*	55.1	39.6	70.5
Income	Less than \$35,000	65.6	61.0	70.1
	\$35,000-\$74,999	68.0	64.0	72.0
	\$75,000 and more	75.8	72.4	79.1
Insurance	Insured	70.2	68.2	72.3
	Not Insured**	60.0	-	-
Disability	Disabled	70.9	67.0	74.7
	Non-disabled	70.1	67.6	72.5
Education	High School Graduate or Less	65.1	61.1	69.1
	More than High School	73.2	71.0	75.4

Ever Had Pneumonia Shot

Indicator Description: Among all adults, the proportion who reported that they ever had a pneumococcal vaccine.

Demographics		%	95% CI	
Total		35.3	33.8	36.7
Age	18-34 years old	27.0	23.0	31.0
	35-54 years old	14.0	12.0	16.0
	55 and over	52.8	51.0	54.6
Sex	Male	34.2	32.1	36.4
	Female	36.2	34.2	38.1
Race/ Ethnicity	Non-Hispanic White	39.1	37.4	40.7
	Non-Hispanic Black	34.7	29.5	39.9
	Hispanic	19.5	15.3	23.7
	Non-Hispanic Other	28.1	21.8	34.3
Income	Less than \$35,000	41.2	37.9	44.5
	\$35,000-\$74,999	35.8	32.7	38.9
	\$75,000 and more	30.0	27.8	32.2
Insurance	Insured	36.6	35.1	38.1
	Not Insured*	17.0	11.9	22.0
Disability	Disabled	49.4	46.2	52.6
	Non-disabled	30.9	29.3	32.5
Education	High School Graduate or Less	36.9	34.1	39.6
	More than High School	34.4	32.8	36.0

Ever Had Pneumonia Shot (65+)

Indicator Description: Among adults 65 years old and over, the proportion who reported that they ever had a pneumococcal vaccine.

Demographics		%	95% CI	
Total		74.5	72.5	76.5
Sex	Male	72.0	69.0	75.1
	Female	76.4	73.8	79.1
Race/ Ethnicity	Non-Hispanic White	76.1	74.1	78.0
	Non-Hispanic Black*	68.0	58.2	77.9
	Hispanic**	65.0	-	-
	Non-Hispanic Other**	60.0	-	-
Income	Less than \$35,000	73.1	68.8	77.4
	\$35,000-\$74,999	75.8	72.1	79.6
	\$75,000 and more	75.7	72.3	79.1
Insurance	Insured	74.8	72.8	76.8
	Not Insured	-	-	-
Disability	Disabled	78.2	74.6	81.8
	Non-disabled	72.6	70.1	75.0
Education	High School Graduate or Less	72.3	68.4	76.1
	More than High School	76.0	73.8	78.2

Ever Tested for HIV

Indicator Description: Among all adults, the proportion who reported that they ever had been tested for HIV, apart from tests that were part of a blood donation.

Demographics		%	95% CI	
Total		40.9	39.3	42.4
Age	18-34 years old	46.3	42.4	50.2
	35-54 years old	60.0	57.2	62.8
	55 and over	24.0	22.5	25.6
Sex	Male	39.5	37.3	41.8
	Female	42.1	40.0	44.2
Race/ Ethnicity	Non-Hispanic White	34.3	32.6	36.0
	Non-Hispanic Black	66.9	62.0	71.9
	Hispanic	59.4	54.4	64.4
	Non-Hispanic Other	32.9	26.9	38.9
Income	Less than \$35,000	49.8	46.4	53.1
	\$35,000-\$74,999	40.5	37.2	43.9
	\$75,000 and more	40.0	37.5	42.4
Insurance	Insured	40.3	38.7	41.9
	Not Insured	48.9	42.5	55.4
Disability	Disabled	44.1	40.8	47.4
	Non-disabled	39.8	38.1	41.6
Education	High School Graduate or Less	40.5	37.6	43.4
	More than High School	41.1	39.3	42.9

Shingles Vaccine

Indicator Description: Among adults 50 years old or older, the proportion who reported that they ever had the shingles or zoster vaccine.

Demographics		%	95% CI	
Total		31.2	29.8	32.7
Sex	Male	30.6	28.4	32.8
	Female	31.8	29.8	33.8
Race/ Ethnicity	Non-Hispanic White	34.2	32.6	35.8
	Non-Hispanic Black	22.5	16.0	29.0
	Hispanic*	16.9	10.7	23.1
	Non-Hispanic Other*	19.5	12.7	26.4
Income	Less than \$35,000	28.6	25.2	31.9
	\$35,000-\$74,999	33.3	30.1	36.5
	\$75,000 and more	30.6	28.4	32.9
Insurance	Insured	31.9	30.4	33.4
	Not Insured**	15.0	-	-
Disability	Disabled	33.2	30.2	36.2
	Non-disabled	30.4	28.7	32.1
Education	High School Graduate or Less	27.9	25.2	30.7
	More than High School	33.1	31.4	34.9

Tetanus Shot

Indicator Description: the proportion adults who reported that they received a tetanus shot in the past 10 years.

Demographics		%	95% CI	
Total		69.7	68.2	71.1
Age	18-34 years old	75.5	72.1	79.0
	35-54 years old	70.0	67.3	72.7
	55 and over	65.8	64.0	67.6
Sex	Male	70.5	68.4	72.6
	Female	68.9	66.9	70.9
Race/ Ethnicity	Non-Hispanic White	72.4	70.8	73.9
	Non-Hispanic Black	60.2	54.9	65.5
	Hispanic	66.0	61.0	71.0
	Non-Hispanic Other	63.0	56.0	69.9
Income	Less than \$35,000	62.3	59.0	65.7
	\$35,000-\$74,999	69.3	66.1	72.4
	\$75,000 and more	73.9	71.8	76.1
Insurance	Insured	70.5	69.1	72.0
	Not Insured	60.6	54.2	67.0
Disability	Disabled	65.6	62.6	68.7
	Non-disabled	70.6	69.0	72.3
Education	High School Graduate or Less	65.7	62.9	68.4
	More than High School	71.9	70.3	73.6

Current Asthma

Indicator Description: Among all adults, the proportion who reported that they were ever told by a doctor, nurse, or other health care professional that they had asthma, and still have it.

Demographics		%	95% CI	
Total		10.5	9.6	11.4
Age	18-34 years old	12.4	10.0	14.7
	35-54 years old	10.9	9.3	12.4
	55 and over	9.2	8.2	10.2
Sex	Male	7.3	6.2	8.4
	Female	13.6	12.2	15.0
Race/ Ethnicity	Non-Hispanic White	10.1	9.0	11.1
	Non-Hispanic Black	12.7	9.4	15.9
	Hispanic	12.2	9.5	14.9
	Non-Hispanic Other*	10.9	7.0	14.7
Income	Less than \$35,000	13.6	11.5	15.6
	\$35,000-\$74,999	10.0	8.1	12.0
	\$75,000 and more	9.7	8.2	11.2
Insurance	Insured	10.8	9.8	11.7
	Not Insured**	10.0	-	-
Disability	Disabled	18.7	16.1	21.2
	Non-disabled	8.1	7.1	9.0
Education	High School Graduate or Less	11.9	10.2	13.6
	More than High School	9.7	8.7	10.8

Chronic Obstructive Pulmonary Diseases

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Demographics		%	95% CI	
Total		5.2	4.6	5.8
Age	18-34 years old	-	-	-
	35-54 years old	3.3	2.5	4.2
	55 and over	9.2	8.2	10.2
Sex	Male	4.8	3.9	5.6
	Female	5.6	4.8	6.4
Race/ Ethnicity	Non-Hispanic White	6.0	5.2	6.7
	Non-Hispanic Black**	5.0	-	-
	Hispanic**	5.0	-	-
	Non-Hispanic Other**	5.0	-	-
Income	Less than \$35,000	9.4	7.8	11.0
	\$35,000-\$74,999	5.2	4.0	6.5
	\$75,000 and more	2.4	1.8	3.0
Insurance	Insured	5.2	4.6	5.8
	Not Insured**	5.0	-	-
Disability	Disabled	13.7	11.8	15.6
	Non-disabled	2.8	2.3	3.3
Education	High School Graduate or Less	7.5	6.3	8.8
	More than High School	3.8	3.2	4.3

Arthritis

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Demographics		%	95% CI	
Total		23.6	22.6	24.7
Age	18-34 years old	4.7	3.3	6.1
	35-54 years old	15.4	13.6	17.1
	55 and over	42.9	41.3	44.6
Sex	Male	19.5	18.1	20.9
	Female	27.5	25.9	29.0
Race/ Ethnicity	Non-Hispanic White	27.0	25.7	28.3
	Non-Hispanic Black	23.2	19.3	27.1
	Hispanic	12.7	10.2	15.3
	Non-Hispanic Other	16.6	12.4	20.7
Income	Less than \$35,000	29.7	27.1	32.3
	\$35,000-\$74,999	25.1	22.7	27.5
	\$75,000 and more	19.4	17.8	21.0
Insurance	Insured	24.8	23.7	25.9
	Not Insured	11.7	8.5	14.9
Disability	Disabled	45.0	42.0	47.9
	Non-disabled	17.7	16.6	18.7
Education	High School Graduate or Less	26.7	24.6	28.7
	More than High School	21.8	20.6	23.0

Cardiovascular Diseases

Indicator Description: Among all adults, the proportion who reported being diagnosed with a heart attack, coronary heart disease, or stroke.

Demographics		%	95% CI	
Total		6.6	6.0	7.2
Age	18-34 years old	<0.1	-	-
	35-54 years old	3.0	2.2	3.8
	55 and over	12.9	11.8	14.1
Sex	Male	7.2	6.4	8.0
	Female	6.1	5.2	6.9
Race/ Ethnicity	Non-Hispanic White	6.6	6.0	7.3
	Non-Hispanic Black	9.5	6.9	12.2
	Hispanic*	4.8	3.0	6.7
	Non-Hispanic Other**	5.0	-	-
Income	Less than \$35,000	11.5	9.8	13.3
	\$35,000-\$74,999	7.2	5.8	8.6
	\$75,000 and more	4.2	3.5	5.0
Insurance	Insured	6.7	6.1	7.3
	Not Insured**	5.0	-	-
Disability	Disabled	17.1	15.1	19.1
	Non-disabled	3.8	3.3	4.4
Education	High School Graduate or Less	8.6	7.4	9.9
	More than High School	5.4	4.8	6.0

Diabetes

Indicator Description: Among all adults, the proportion who reported that they were ever told by a doctor that they had diabetes.

Demographics		%	95% CI	
Total		9.6	8.8	10.3
Age	18-34 years old**	<0.1	-	-
	35-54 years old	6.9	5.6	8.1
	55 and over	16.8	15.5	18.1
Sex	Male	10.4	9.3	11.5
	Female	8.8	7.8	9.8
Race/ Ethnicity	Non-Hispanic White	8.4	7.6	9.1
	Non-Hispanic Black	15.5	12.3	18.8
	Hispanic	10.1	7.8	12.5
	Non-Hispanic Other*	10.9	7.6	14.2
Income	Less than \$35,000	14.8	12.8	16.8
	\$35,000-\$74,999	9.8	8.2	11.4
	\$75,000 and more	6.3	5.3	7.3
Insurance	Insured	9.6	8.8	10.3
	Not Insured*	9.8	6.4	13.2
Disability	Disabled	19.9	17.7	22.1
	Non-disabled	6.5	5.8	7.2
Education	High School Graduate or Less	12.9	11.3	14.4
	More than High School	7.6	6.9	8.4

Kidney Diseases

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had kidney disease.

Demographics		%	95% CI	
Total		2.4	2.0	2.7
Age	18-34 years old	-	-	-
	35-54 years old*	1.7	1.1	2.3
	55 and over	4.4	3.7	5.1
Sex	Male	2.6	2.1	3.1
	Female	2.2	1.8	2.7
Race/ Ethnicity	Non-Hispanic White	2.4	2.0	2.8
	Non-Hispanic Black	3.7	2.1	5.2
	Hispanic	-	-	-
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000	3.9	2.9	4.9
	\$35,000-\$74,999*	2.4	1.6	3.2
	\$75,000 and more	1.8	1.3	2.3
Insurance	Insured	2.4	2.1	2.8
	Not Insured	-	-	-
Disability	Disabled	5.7	4.5	6.8
	Non-disabled	1.5	1.2	1.8
Education	High School Graduate or Less	2.9	2.2	3.6
	More than High School	2.1	1.7	2.5

Depression

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had a depressive disorder including depression, major/minor depression, or dysthymia.

Demographics		%	95% CI	
Total		14.4	13.4	15.4
Age	18-34 years old	18.1	15.4	20.8
	35-54 years old	12.4	10.9	13.9
	55 and over	13.9	12.7	15.0
Sex	Male	10.8	9.5	12.1
	Female	17.8	16.3	19.3
Race/ Ethnicity	Non-Hispanic White	16.2	15.0	17.5
	Non-Hispanic Black	8.8	6.2	11.4
	Hispanic	12.0	9.3	14.7
	Non-Hispanic Other*	12.2	8.3	16.1
Income	Less than \$35,000	22.4	19.8	24.9
	\$35,000-\$74,999	13.2	11.1	15.2
	\$75,000 and more	11.1	9.7	12.6
Insurance	Insured	15.1	14.0	16.1
	Not Insured*	7.9	5.4	10.5
Disability	Disabled	33.0	30.0	35.9
	Non-disabled	9.5	8.6	10.5
Education	High School Graduate or Less	15.4	13.5	17.3
	More than High School	14.0	12.8	15.1

High Blood Pressure

Indicator Description: Among all adults, the proportion who ever been told having high blood pressure.

Demographics		%	95% CI	
Total		30.9	29.7	32.1
Age	18-34 years old	8.8	6.8	10.8
	35-54 years old	25.0	22.8	27.2
	55 and over	50.7	49.0	52.3
Sex	Male	33.0	31.2	34.9
	Female	28.9	27.3	30.6
Race/ Ethnicity	Non-Hispanic White	31.8	30.4	33.2
	Non-Hispanic Black	43.1	38.4	47.7
	Hispanic	22.4	19.0	25.8
	Non-Hispanic Other	22.7	18.2	27.2
Income	Less than \$35,000	39.1	36.2	42.1
	\$35,000-\$74,999	32.7	30.0	35.4
	\$75,000 and more	25.9	24.1	27.7
Insurance	Insured	32.0	30.8	33.3
	Not Insured	19.1	15.0	23.1
Disability	Disabled	46.8	43.8	49.8
	Non-disabled	26.6	25.2	27.9
Education	High School Graduate or Less	35.9	33.6	38.3
	More than High School	27.9	26.6	29.3

High Blood Cholesterol

Indicator Description: Among all adults, the proportion who had ever been told they have having high blood cholesterol.

Demographics		%	95% CI	
Total		32.2	30.9	33.5
Age	18-34 years old	13.9	11.3	16.5
	35-54 years old	28.8	26.4	31.2
	55 and over	45.7	44.0	47.4
Sex	Male	33.0	31.1	34.8
	Female	31.5	29.8	33.2
Race/ Ethnicity	Non-Hispanic White	34.2	32.7	35.6
	Non-Hispanic Black	31.8	27.4	36.3
	Hispanic	26.9	23.0	30.8
	Non-Hispanic Other	26.6	21.1	32.1
Income	Less than \$35,000	33.9	31.1	36.8
	\$35,000-\$74,999	34.5	31.6	37.4
	\$75,000 and more	31.5	29.4	33.5
Insurance	Insured	32.9	31.6	34.3
	Not Insured	24.7	19.8	29.6
Disability	Disabled	45.0	41.9	48.0
	Non-disabled	29.2	27.7	30.6
Education	High School Graduate or Less	31.9	29.5	34.2
	More than High School	32.4	30.9	33.9

Told Self-Check Blood Pressure

Indicator Description: Among all adults, the proportion who reported their doctor or other health professional recommended they check blood pressure outside of the office or at home.

Demographics		%	95% CI	
Total		22.8	21.6	23.9
Age	18-34 years old	9.4	7.3	11.5
	35-54 years old	18.4	16.4	20.5
	55 and over	34.7	33.1	36.3
Sex	Male	25.0	23.3	26.6
	Female	20.7	19.3	22.2
Race/ Ethnicity	Non-Hispanic White	22.6	21.4	23.8
	Non-Hispanic Black	33.9	29.5	38.3
	Hispanic	17.5	14.2	20.7
	Non-Hispanic Other	20.7	15.5	25.8
Income	Less than \$35,000	27.7	25.0	30.4
	\$35,000-\$74,999	24.0	21.5	26.4
	\$75,000 and more	19.4	17.7	21.1
Insurance	Insured	23.2	22.1	24.4
	Not Insured	18.4	14.2	22.7
Disability	Disabled	32.1	29.4	34.8
	Non-disabled	20.0	18.8	21.2
Education	High School Graduate or Less	25.1	23.0	27.2
	More than High School	21.4	20.1	22.6

Self-Check Blood Pressure Regularly

Indicator Description: Among all adults, who reported they regularly check their blood pressure outside of their healthcare professional's office or at home.

Demographics		%	95% CI	
Total		22.8	21.6	23.9
Age	18-34 years old	11.1	8.8	13.3
	35-54 years old	19.9	17.7	22.1
	55 and over	32.8	31.2	34.4
Sex	Male	24.6	22.8	26.3
	Female	21.1	19.6	22.7
Race/ Ethnicity	Non-Hispanic White	21.2	20.0	22.4
	Non-Hispanic Black	33.1	28.5	37.6
	Hispanic	21.4	17.8	25.0
	Non-Hispanic Other	25.9	20.3	31.4
Income	Less than \$35,000	26.0	23.3	28.6
	\$35,000-\$74,999	26.8	24.1	29.5
	\$75,000 and more	18.9	17.2	20.6
Insurance	Insured	22.7	21.5	23.8
	Not Insured	23.3	18.7	27.8
Disability	Disabled	30.4	27.7	33.0
	Non-disabled	20.4	19.1	21.7
Education	High School Graduate or Less	25.1	23.0	27.3
	More than High School	21.2	19.9	22.5

Prescription Drug Safe Storage

Indicator Description: Among all adults, the proportion who reported their opioid-based pain relievers in their home are safely stored away from others who may use them for recreational or other non-medical purposes.

Demographics		%	95% CI	
Total		35.7	34.2	37.3
Age	18-34 years old	40.3	36.2	44.4
	35-54 years old	36.0	33.1	38.9
	55 and over	33.2	31.5	35.0
Sex	Male	36.2	33.9	38.5
	Female	35.3	33.2	37.4
Race/ Ethnicity	Non-Hispanic White	32.2	30.5	33.9
	Non-Hispanic Black	43.8	38.4	49.2
	Hispanic	51.3	45.9	56.8
	Non-Hispanic Other	34.1	27.2	41.1
Income	Less than \$35,000	49.1	45.6	52.6
	\$35,000-\$74,999	35.0	31.7	38.3
	\$75,000 and more	28.6	26.3	30.9
Insurance	Insured	34.8	33.2	36.4
	Not Insured	47.9	41.1	54.7
Disability	Disabled	47.2	43.9	50.5
	Non-disabled	32.2	30.5	33.9
Education	High School Graduate or Less	45.7	42.7	48.7
	More than High School	30.3	28.6	32.0

Prescription Drug Safe Disposal

Indicator Description: Among all adults, the proportion who reported they are aware of how to safely dispose of their prescription opioid-based pain relievers when they are finished.

Demographics		%	95% CI	
Total		76.7	75.3	78.1
Age	18-34 years old	70.8	66.9	74.7
	35-54 years old	76.9	74.3	79.4
	55 and over	79.7	78.2	81.2
Sex	Male	73.0	70.9	75.1
	Female	80.0	78.2	81.8
Race/ Ethnicity	Non-Hispanic White	78.6	77.1	80.1
	Non-Hispanic Black	74.5	69.7	79.3
	Hispanic	72.9	68.2	77.7
	Non-Hispanic Other	68.9	62.0	75.9
Income	Less than \$35,000	78.2	75.2	81.1
	\$35,000-\$74,999	76.6	73.7	79.5
	\$75,000 and more	76.9	74.7	79.1
Insurance	Insured	77.6	76.2	79.0
	Not Insured	63.2	56.5	70.0
Disability	Disabled	79.3	76.5	82.1
	Non-disabled	75.9	74.2	77.5
Education	High School Graduate or Less	75.9	73.2	78.6
	More than High School	77.1	75.6	78.7

Cognitive Decline

Indicator Description: Among adults aged 45 and over, the proportion who reported experienced confusion or memory loss during the past 12 months.

Demographics		%	95% CI	
Total		7.3	6.5	8.1
Sex	Male	7.6	6.3	8.9
	Female	7.0	6.0	8.1
Race/ Ethnicity	Non-Hispanic White	6.9	6.0	7.7
	Non-Hispanic Black**	10.0	-	-
	Hispanic**	10.0	-	-
	Non-Hispanic Other**	10.0	-	-
Income	Less than \$35,000	13.4	11.0	15.8
	\$35,000-\$74,999	7.1	5.5	8.8
	\$75,000 and more	4.6	3.4	5.8
Insurance	Insured	7.3	6.4	8.1
	Not Insured	-	-	-
Disability	Disabled	18.9	16.4	21.4
	Non-disabled	3.2	2.5	3.8
Education	High School Graduate or Less	9.8	8.0	11.6
	More than High School	6.0	5.1	6.8

Always/usually worries about buying nutritious meals

Indicator Description: Among all adults, the proportion who reported "always" or "usually" felt worried or stressed in the past 12 months about having enough money to buy nutritious meals.

Demographics		%	95% CI	
Total		7.9	7.0	8.9
Age	18-34 years old	13.3	10.4	16.2
	35-54 years old	9.0	7.2	10.8
	55 and over	4.2	3.4	4.9
Sex	Male	7.3	5.9	8.8
	Female	8.5	7.2	9.9
Race/ Ethnicity	Non-Hispanic White	6.4	5.4	7.5
	Non-Hispanic Black*	10.5	7.1	13.8
	Hispanic	13.6	9.7	17.4
	Non-Hispanic Other**	10.0	-	-
Income	Less than \$35,000	18.3	15.5	21.2
	\$35,000-\$74,999	9.5	7.0	12.0
	\$75,000 and more**	<0.1	-	-
Insurance	Insured	7.6	6.6	8.6
	Not Insured*	12.9	8.3	17.6
Disability	Disabled	17.8	15.0	20.7
	Non-disabled	4.9	4.0	5.9
Education	High School Graduate or Less	11.6	9.5	13.7
	More than High School	5.9	5.0	6.9

Always/usually worries about paying rent/ mortgage

Indicator Description: Among all adults, the proportion who reported "always" or "usually" felt worried or stressed in the past 12 months about having enough money to pay for housing.

Demographics		%	95% CI	
Total		13.3	12.2	14.5
Age	18-34 years old	17.9	14.3	21.5
	35-54 years old	15.9	13.7	18.1
	55 and over	9.5	8.3	10.7
Sex	Male	12.8	11.0	14.5
	Female	13.9	12.2	15.5
Race/ Ethnicity	Non-Hispanic White	11.5	10.3	12.8
	Non-Hispanic Black	16.6	12.5	20.7
	Hispanic	21.1	16.5	25.8
	Non-Hispanic Other**	10.0	-	-
Income	Less than \$35,000	29.1	25.7	32.4
	\$35,000-\$74,999	14.7	11.9	17.4
	\$75,000 and more	5.1	3.8	6.4
Insurance	Insured	12.6	11.4	13.8
	Not Insured	22.7	16.9	28.5
Disability	Disabled	26.8	23.6	30.0
	Non-disabled	9.3	8.1	10.5
Education	High School Graduate or Less	19.9	17.3	22.5
	More than High School	9.7	8.6	10.9

Radon Testing

Indicator Description: Among all adults, the proportion who reported their household air has been tested for the presence of radon gas.

Demographics		%	95% CI	
Total		48.2	46.5	49.8
Age	18-34 years old	39.4	34.9	44.0
	35-54 years old	57.2	54.2	60.3
	55 and over	46.0	44.2	47.9
Sex	Male	48.5	46.1	50.9
	Female	47.8	45.6	50.1
Race/ Ethnicity	Non-Hispanic White	54.5	52.7	56.3
	Non-Hispanic Black	32.7	27.3	38.0
	Hispanic	31.2	25.9	36.6
	Non-Hispanic Other	36.1	29.1	43.2
Income	Less than \$35,000	28.1	24.8	31.4
	\$35,000-\$74,999	41.8	38.3	45.3
	\$75,000 and more	64.1	61.6	66.6
Insurance	Insured	49.8	48.1	51.4
	Not Insured	28.1	22.0	34.2
Disability	Disabled	37.4	34.1	40.7
	Non-disabled	51.2	49.3	53.0
Education	High School Graduate or Less	33.7	30.8	36.7
	More than High School	56.0	54.2	57.9

Overweight (5-17 years old)

Indicator Description: Among children 5-17 years old, the proportion of children whose BMI was between the 85th and 95th percentile for children of the same age and sex.

Demographics		%	95% CI	
Total		14.1	11.0	17.2
Age	5-11 years old*	15.6	10.2	20.9
	12-17 years old	13.0	9.5	16.5
Sex	Male*	14.2	9.8	18.6
	Female*	14.1	9.7	18.5
Race/ Ethnicity	Non-Hispanic White	11.8	8.4	15.2
	Non-Hispanic Black	-	-	-
	Hispanic**	20.0	-	-
	Non-Hispanic Other	-	-	-
Household Income	Less than \$35,000**	20.0	-	-
	\$35,000-\$74,999**	20.0	-	-
	\$75,000 and more	12.4	8.9	16.0
Caregiver's Insurance	Insured	13.6	10.5	16.7
	Not Insured	-	-	-
Caregiver's Education	High School Graduate or Less**	20.0	-	-
	More than High School	13.1	9.7	16.5

Obese (5-17 years old)

Indicator Description: Among children 5-17 years old, the proportion of children whose BMI was above the 95th percentile for children of the same age and sex.

Demographics		%	95% CI	
Total		16.3	12.8	19.7
Age	5-11 years old	21.0	15.5	26.6
	12-17 years old*	12.6	8.1	17.1
Sex	Male	21.1	15.4	26.8
	Female*	11.5	7.8	15.2
Race/ Ethnicity	Non-Hispanic White*	12.6	8.9	16.4
	Non-Hispanic Black**	25.0	-	-
	Hispanic**	25.0	-	-
	Non-Hispanic Other	-	-	-
Household Income	Less than \$35,000*	30.1	19.8	40.4
	\$35,000-\$74,999**	25.0	-	-
	\$75,000 and more*	11.3	7.7	15.0
Caregiver's Insurance	Insured	16.2	12.7	19.8
	Not Insured	-	-	-
Caregiver's Education	High School Graduate or Less**	20.0	-	-
	More than High School	15.0	11.5	18.5

'*' estimates have a CV between 15% and 20%;

'**' estimates have a CV between 20.1% and 30%;

'-' estimates were suppressed because of limited validity (CV>30%).

Ever Breastfed

Indicator Description: Among all children, the proportion of children ever breastfed or given pumped breast milk, even for a short period of time.

Demographics		%	95% CI	
Total		82.0	79.2	84.8
Age	0-4 years old**	80.0	-	-
	5-11 years old	87.1	83.6	90.5
	12-17 years old	78.1	73.5	82.7
Sex	Male	82.3	78.5	86.1
	Female	81.9	77.7	86.1
Race/ Ethnicity	Non-Hispanic White	86.9	84.1	89.7
	Non-Hispanic Black**	80.0	-	-
	Hispanic	77.1	70.6	83.7
	Non-Hispanic Other**	75.0	-	-
Household Income	Less than \$35,000	72.3	65.2	79.4
	\$35,000-\$74,999*	73.5	65.4	81.6
	\$75,000 and more	89.8	87.3	92.3
Caregiver's Insurance	Insured	83.0	80.4	85.6
	Not Insured**	70.0	-	-
Caregiver's Education	High School Graduate or Less	70.1	63.4	76.9
	More than High School	86.2	83.2	89.1

Excessive Screen Time

Indicator Description: Among children aged 2-17 years old, the proportion of children who had screen time more than 2 hours daily.

Demographics		%	95% CI	
Total		59.8	55.8	63.7
Age	2-4 years old	48.0	37.0	59.0
	5-11 years old	51.9	45.5	58.3
	12-17 years old	73.8	69.1	78.5
Sex	Male	66.6	61.3	71.9
	Female	53.0	47.3	58.6
Race/ Ethnicity	Non-Hispanic White	51.6	46.4	56.7
	Non-Hispanic Black	79.1	68.7	89.4
	Hispanic	67.5	59.4	75.7
	Non-Hispanic Other	60.8	48.2	73.4
Household Income	Less than \$35,000	64.5	55.4	73.5
	\$35,000-\$74,999	73.1	64.4	81.7
	\$75,000 and more	53.9	48.6	59.3
Caregiver's Insurance	Insured	60.2	56.1	64.3
	Not Insured	52.8	38.3	67.3
Caregiver's Education	High School Graduate or Less	69.1	61.6	76.7
	More than High School	56.7	52.1	61.2

‘**’ estimates have a CV between 15% and 20%;

‘***’ estimates have a CV between 20.1% and 30%;

‘-’ estimates were suppressed because of limited validity (CV>30%).

Soda Consumption

Indicator Description: Among children 2-17 years old, the proportion of children who drank soda or sugary drinks at least once daily.

Demographics		%	95% CI	
Total		26.4	22.9	30.0
Age	2-4 years old**	15.0	-	-
	5-11 years old	24.7	19.4	29.9
	12-17 years old	33.3	27.9	38.6
Sex	Male	27.5	22.4	32.7
	Female	25.5	20.6	30.4
Race/ Ethnicity	Non-Hispanic White	21.3	16.9	25.7
	Non-Hispanic Black	41.0	29.3	52.7
	Hispanic	30.9	22.5	39.3
	Non-Hispanic Other**	30.0	-	-
Household Income	Less than \$35,000	31.0	22.2	39.8
	\$35,000-\$74,999	36.1	26.5	45.6
	\$75,000 and more	20.7	16.5	24.9
Caregiver's Insurance	Insured	26.4	22.7	30.1
	Not Insured**	25.0	-	-
Caregiver's Education	High School Graduate or Less	38.4	29.9	46.8
	More than High School	22.5	18.7	26.2

Fast Food Consumption

Indicator Description: Among children 2-17 years old, the proportion of children who ate fast food at least twice weekly.

Demographics		%	95% CI	
Total		38.6	34.7	42.5
Age	2-4 years old*	31.2	20.5	41.9
	5-11 years old	36.0	30.1	42.0
	12-17 years old	45.3	40.0	50.6
Sex	Male	40.4	34.8	46.0
	Female	36.9	31.5	42.4
Race/ Ethnicity	Non-Hispanic White	38.0	33.1	43.0
	Non-Hispanic Black	42.2	30.1	54.3
	Hispanic	41.4	32.3	50.6
	Non-Hispanic Other*	31.8	19.4	44.2
Household Income	Less than \$35,000	39.0	29.6	48.4
	\$35,000-\$74,999	49.3	39.9	58.6
	\$75,000 and more	38.5	33.3	43.6
Caregiver's Insurance	Insured	38.7	34.7	42.7
	Not Insured**	40.0	-	-
Caregiver's Education	High School Graduate or Less	40.4	32.0	48.8
	More than High School	38.2	33.7	42.6

Dentist Visit in the past year

Indicator Description: Among all children, the proportion of children who visited a dentist in the past year.

Demographics		%	95% CI	
Total		86.2	83.7	88.6
Age	0-4 years old	63.3	55.8	70.9
	5-11 years old**	95.0	-	-
	12-17 years old*	94.8	92.9	96.8
Sex	Male	86.1	82.9	89.3
	Female	86.2	82.5	89.8
Race/ Ethnicity	Non-Hispanic White	89.1	86.3	92.0
	Non-Hispanic Black**	80.0	-	-
	Hispanic*	83.6	78.1	89.1
	Non-Hispanic Other**	85.0	-	-
Household Income	Less than \$35,000*	82.8	76.5	89.0
	\$35,000-\$74,999*	81.3	75.4	87.3
	\$75,000 and more*	90.2	87.1	93.2
Caregiver's Insurance	Insured	86.8	84.3	89.2
	Not Insured**	80.0	-	-
Caregiver's Education	High School Graduate or Less*	81.1	75.2	86.9
	More than High School	88.0	85.5	90.5

Dental Sealants

Indicator Description: Among children 5-17 years old, the proportion of children who ever received dental sealants on their permanent teeth.

Demographics		%	95% CI	
Total		48.0	43.7	52.2
Age	5-11 years old	38.8	32.4	45.1
	12-17 years old	58.0	52.5	63.5
Sex	Male	44.6	38.7	50.5
	Female	51.8	45.8	57.8
Race/ Ethnicity	Non-Hispanic White	51.6	46.4	56.8
	Non-Hispanic Black*	34.3	23.3	45.4
	Hispanic	45.2	34.9	55.6
	Non-Hispanic Other	53.6	40.4	66.8
Household Income	Less than \$35,000	38.9	29.1	48.7
	\$35,000-\$74,999	47.0	37.0	57.0
	\$75,000 and more	54.3	48.7	59.9
Caregiver's Insurance	Insured	48.4	43.9	52.8
	Not Insured*	42.2	27.4	57.0
Caregiver's Education	High School Graduate or Less	31.2	23.4	38.9
	More than High School	53.0	48.2	57.9

Dental Decay in the past year

Indicator Description: Among all children, the proportion of children told they had dental decay in the past 12 months.

Demographics		%	95% CI	
Total		16.5	13.5	19.6
Age	0-4 years old	-	-	-
	5-11 years old	22.5	16.7	28.4
	12-17 years old	12.9	9.3	16.5
Sex	Male	15.4	11.4	19.4
	Female	18.0	13.5	22.6
Race/ Ethnicity	Non-Hispanic White	15.2	11.3	19.0
	Non-Hispanic Black**	15.0	-	-
	Hispanic*	20.1	12.6	27.7
	Non-Hispanic Other**	20.0	-	-
Household Income	Less than \$35,000*	17.0	10.9	23.1
	\$35,000-\$74,999*	20.0	12.2	27.8
	\$75,000 and more	16.7	12.2	21.1
Caregiver's Insurance	Insured	16.3	13.1	19.5
	Not Insured**	20.0	-	-
Caregiver's Education	High School Graduate or Less*	16.3	11.3	21.4
	More than High School	16.5	12.9	20.2

Current Asthma

Indicator Description: Among all children, the proportion of children ever diagnosed with asthma and still have it.

Demographics		%	95% CI	
Total		8.8	6.9	10.7
Age	0-4 years old	-	-	-
	5-11 years old*	10.3	6.6	13.9
	12-17 years old*	10.5	7.0	13.9
Sex	Male	8.8	6.3	11.3
	Female*	8.9	6.1	11.7
Race/ Ethnicity	Non-Hispanic White*	6.8	4.4	9.1
	Non-Hispanic Black**	10.0	-	-
	Hispanic*	12.9	8.2	17.6
	Non-Hispanic Other	-	-	-
Household Income	Less than \$35,000*	15.2	10.1	20.2
	\$35,000-\$74,999**	10.0	-	-
	\$75,000 and more*	6.8	4.5	9.2
Caregiver's Insurance	Insured	9.2	7.2	11.2
	Not Insured	-	-	-
Caregiver's Education	High School Graduate or Less*	9.9	6.6	13.3
	More than High School	8.3	6.1	10.5

‘*’ estimates have a CV between 15% and 20%;

‘**’ estimates have a CV between 20.1% and 30%;

‘-’ estimates were suppressed because of limited validity (CV>30%).